

# Car audio factory

## Product Catalog

Car speakers

Car subwoofer

car audio

Car Amplifier

DSP amplifier

Tweeters

Woofers

Car accessories

Car audio cable

DC/DC Converter

Guangzhou Chepu Automotive Supplies Co., Ltd.

Sales Manager:Lily Teng

Cell Phone:0086 166 2016 9690

E-mail:lily@zhandiaudio.com

WhatsAPP:+8616620169690

WeChat:16620169690

WeChat Qr code



**CONTACT  
US**



# Zhan Di

Our factory in researching, developing and producing car audio. Including all kinds of car subwoofer, car speaker, tweeter, DSP, car amplifier, sound insulation material, audio wire, etc. The product is loyal to the quality, is heavier than the appearance level, creates the classic brand with the craftsman spirit. In pursuit of HIFI music, the products have gradually improved from entry-level series to high-quality car owners' picky choice of good sound.

The latest research and development of affordable 3 - frequency set horn, ultra high cost performance by the majority of car owners praise. The company won the honors of "top ten audio brands of the year", "top choice brand of the gold Award", "Top recommended speaker brand of the year", "Top ten franchised brands of the year" and "Annual Consumer Satisfaction brand of the year".

Our products adopt American design and technology to achieve stereo mixing, balance and high definition. We have a team of designers and engineers with high technical and management skills. Have enough production capacity to undertake large orders. Products are exported to Cambodia, Japan, Italy, the United States and other countries and regions.

Welcome all related customers to come to discuss cooperation.



# Car speakers

## Top Series

6.5 inch speaker set  
Model:ZD-65D6-3  
Rated power:80W  
Max power:350W  
Impedance:4Ω  
Sensitivity:92dB

6.5" Aluminium basket,  
3.5" mid-range speaker  
28 core aluminum tweeter  
High grade divider



## Top Series

6.5 inch speaker set  
Model:ZD-65D6  
Rated power:80W  
Max power:350W  
Impedance:4Ω  
Sensitivity:92dB

6.5" Aluminium basket,  
28 core aluminum tweeter  
High grade divider



## Hi-Fi series

6.5 inch speaker set  
Model:ZD-65D7-3  
Rated power:80W  
Max power:350W  
Impedance:4Ω  
Sensitivity:90dB

6.5" Aluminium basket,  
3.5" mid-range speaker  
28 core aluminum tweeter  
High grade divider



## Hi-Fi series

6.5 inch speaker set  
Model:ZD-65D7  
Rated power:80W  
Max power:350W  
Impedance:4Ω  
Sensitivity:90dB

6.5" Aluminium basket,  
28 core aluminum tweeter  
High grade divider



## Enjoy Vocal series

6.5 inch speaker set  
Model:ZD-65D8-3  
Rated power:70W  
Max power:300W  
Nominal impedance:4Ω  
Sensitivity:92dB

6.5" Aluminium basket,  
3.5" mid-range speaker  
28 core aluminum tweeter  
High grade divider



## Enjoy Vocal series

6.5 inch speaker set  
Model:ZD-65D8  
Rated power:70W  
Max power:300W  
Impedance:4Ω  
Sensitivity:92dB

6.5" Aluminium basket,  
28 core aluminum tweeter  
High grade divider



## Listening Series

6.5 inch speaker set  
Model:ZD-6568  
Rated power:60W  
Max power:240W  
Impedance:4Ω  
Sensitivity:91dB

6.5" Aluminium basket,  
25 core tweeter  
High grade divider



## Enjoy Bass series

6.5 inch speaker set  
Model:ZD-65D9  
Rated power:80W  
Max power:300W  
Impedance:4Ω  
Sensitivity:89dB

6.5" Aluminium basket,  
28 core aluminum tweeter  
High grade divider



# Car speakers

## Classic Voice Series

6.5 inch speaker set  
**Model:ZD-65M2**  
 Rated power:50W  
 Max power:240W  
 Impedance:4Ω  
 Sensitivity:93dB

6.5" Iron basket,  
 25 core tweeter  
 High grade divider



## Listening series

6.5 inch speaker set  
**Model:ZD-6508**  
 Rated power:50W  
 Max power:240W  
 Impedance:4Ω  
 Sensitivity:92dB

6.5" Iron basket,  
 25 core tweeter  
 High grade divider



## Entry-level series

6.5 inch speaker set  
**Model:ZD-6518**  
 Rated power:45W  
 Max power:180W  
 Impedance:4Ω  
 Sensitivity:93dB

6.5" Iron basket,  
 20 core tweeter  
 High grade divider



6.5 inch speaker set  
**Model:ZD-6500**  
 Rated power:45W  
 Max power:180W  
 Impedance:4Ω  
 Sensitivity:92dB

6.5" Iron basket,  
 20 core tweeter



6.5 inch coaxial speaker  
**Model:ZD-652**

Rated power:45W Max power:150W  
 Impedance:4Ω Sensitivity:92dB



6.5 inch coaxial speaker  
**Model:ZD-659**

Rated power:50W Max power:180W  
 Impedance:4Ω Sensitivity:93dB



6.5 inch coaxial speaker  
**Model:ZD-656**

Rated power:60W Max power:250W  
 Impedance:4Ω Sensitivity:93dB



3.5 inch midrange bracket



3.5 inch midrange speaker  
**Model:M1**  
 Rated power:45W  
 Max power:180W  
 Impedance:4Ω  
 Sensitivity:93dB



3.5 inch midrange speaker  
**Model:M2**  
 Rated power:40W  
 Max power:100W  
 Impedance:4Ω  
 Sensitivity:90dB



2.5 inch midrange speaker  
**Model:M3**  
 Rated power:30W  
 Max power:80W  
 Impedance:4Ω  
 Sensitivity:90dB

# Car speakers



4 inch coaxial speaker  
**Model:ZD-401**  
 Rated power:30W  
 Max power:100W  
 Impedance:4Ω



4 inch coaxial speaker  
**Model:ZD-408**  
 Rated power:40W  
 Max power:120W  
 Impedance:4Ω



5 inch coaxial speaker  
**Model:ZD-501**  
 Rated power:35W  
 Max power:120W  
 Impedance:4Ω



5 inch coaxial speaker  
**Model:ZD-508**  
 Rated power:45W  
 Max power:150W  
 Impedance:4Ω



6 inch coaxial speaker  
**Model:ZD-601**  
 Rated power:40W  
 Max power:150W  
 Impedance:4Ω



6.5 inch coaxial speaker  
**Model:ZD-658**  
 Rated power:50W  
 Max power:180W  
 Impedance:4Ω



4\*6 inch coaxial speaker  
**Model:4650**  
 Rated power:40W  
 Max power:150W  
 Impedance:4Ω



6\*9 inch coaxial speaker  
**Model:ZD-6928**  
 Rated power:100W  
 Max power:300W  
 Impedance:4Ω



6\*9 inch coaxial speaker  
**Model:ZD-6901**  
 Rated power:80W  
 Max power:200W  
 Impedance:4Ω



Tweeter  
**Model:ZD-280**  
 Rated power:30W  
 Max power:180W  
 Impedance:4Ω



Tweeter  
**Model:ZD-258**  
 Rated power:20W  
 Max power:50W  
 Impedance:4Ω



Tweeter  
**Model:ZD-208**  
 Rated power:20W  
 Max power:50W  
 Impedance:4Ω

# Subwoofer

12-inch active subwoofer

Model:A-1288

Rated power:200W

Max power:800W

Impedance:4Ω

Pure bass,  
Double magnet,  
High power  
amplifier board



10-inch active subwoofer

Model:A-1088

Rated power:200W

Max power:800W

Impedance:4Ω

Pure bass,  
High power  
amplifier board



12-inch active subwoofer

Model:A-1288

Rated power:200W

Max power:800W

Impedance:4Ω

Pure bass,  
Double magnet,  
High power  
amplifier board



10-inch active subwoofer

Model:A-1068

Rated power:200W

Max power:800W

Impedance:4Ω

Pure bass,  
High power  
amplifier board



12-inch active subwoofer

Model:ZD-12A

Rated power:150W

Max power:600W

Impedance:4Ω



10-inch active subwoofer

Model:ZD-10A

Rated power:150W

Max power:600W

Impedance:4Ω



8-inch active subwoofer

Model:ZD-08A

Rated power:150W

Max power:600W

Impedance:4Ω



10-inch active subwoofer

Model:ZD-10B

Rated power:150W

Max power:600W

Impedance:4Ω



10-inch active subwoofer

Model:ZD-10C

Rated power:150W

Max power:600W

Impedance:4Ω



# Subwoofer

10-inch active subwoofer  
Model:ZD-1099  
Rated power:300W  
Max power:1800W  
Impedance:4Ω

Class D power amplifier



10-inch active subwoofer  
Model:ZD-10T  
Rated power:150W  
Max power:600W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10S  
Rated power:140W  
Max power:550W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10E  
Rated power:150W  
Max power:600W  
Impedance:4Ω



8-inch active subwoofer With tweeter  
Model:ZD-08A  
Rated power:80W  
Max power:350W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10Q  
Rated power:150W  
Max power:600W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10H  
Rated power:120W  
Max power:500W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10D-Blue  
Rated power:150W Max power:600W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10D-Golden  
Rated power:150W Max power:600W  
Impedance:4Ω



10-inch active subwoofer  
Model:ZD-10D-purple  
Rated power:150W Max power:600W  
Impedance:4Ω



# Ultra thin Subwoofer

13-inch subwoofer under seat

Model:ZD-013

Rated power:180W

Max power:600W

Impedance:4Ω

Frequency response:50-150Hz

Size:350\*260\*80mm



6\*9-inch subwoofer under seat

Model:ZD-069W

Rated power:180W

Max power:600W

Impedance:4Ω

Frequency response:50-150Hz

Size:280\*230\*75mm



10-inch subwoofer under seat

Model:ZD-10Z

Rated power:180W

Max power:600W

Impedance:4Ω

Frequency response:40-150Hz

Size:360\*275\*75mm



10-inch subwoofer under seat

Model:ZD-10V

Rated power:180W

Max power:600W

Impedance:4Ω

Frequency response:50-150Hz

Size:340\*260\*80mm



8-inch subwoofer under seat with tweeter

Model:ZD-08Y

Rated power:180W

Max power:600W

Impedance:4Ω

Frequency response:50-150Hz

Size:310\*240\*75mm



8-inch subwoofer under seat

Model:ZD-08V

Rated power:180W

Max power:600W

Impedance:4Ω

Frequency response:50-150Hz

Size:310\*210\*75mm



15-inch Spare subwoofer

Model:ZD-K15

Rated power:300W

Max power:800W

Impedance:4Ω



8-inch active subwoofer With tweeter

Model:ZD-818

Rated power:80W

Max power:280W

Impedance:4Ω



6.5-inch





# Passive subwoofer

12 inch passive subwoofer

Model:N0.1-12

Rated power:200W

Max power:800W

Impedance:4Ω

Double magnet  
Pure bass



10 inch passive subwoofer

Model:N0.1-10

Rated power:150W

Max power:600W

Impedance:4Ω



12 inch passive subwoofer

Model:N0.3-12

Rated power:100W

Max power:450W

Impedance:4Ω



10 inch passive subwoofer

Model:N0.4-10

Rated power:100W

Max power:450W

Impedance:4Ω



12 inch passive subwoofer

Model:N0.9-12

Rated power:200W

Max power:800W

Impedance:4Ω

Double magnet  
Pure bass



10 inch passive subwoofer

Model:N0.9-10

Rated power:180W

Max power:600W

Impedance:4Ω



12 inch passive subwoofer

Model:N0.7-12

Rated power:1200W

Max power:3600W

Impedance:4Ω/2Ω

Double magnet,  
double voice coil  
Fever sound



Passive empty box-12inch/10inch



# Woofers

Febrile bass  
Double magnet,  
double voicecoil

12 inch woofer  
Model: X12  
Rated power: 1200W  
Max power: 3600W  
Impedance: 4Ω/2Ω

10 inch woofer  
Model: X10  
Rated power: 1000W  
Max power: 3000W  
Impedance: 4Ω/2Ω



12 inch woofer  
Model: ZD-1201  
Rated power: 200W  
Max power: 800W  
Impedance: 4Ω Double magnet



12 inch woofer  
Model: ZD-1202 Double magnet  
Rated power: 200W  
Max power: 800W  
Impedance: 4Ω



12 inch woofer  
Model: ZD-12A01  
Rated power: 180W  
Max power: 600W  
Impedance: 4Ω



10 inch woofer  
Model: ZD-10A01  
Rated power: 150W  
Max power: 500W  
Impedance: 4Ω



10 inch woofer  
Model: ZD-1001  
Rated power: 150W  
Max power: 600W  
Impedance: 4Ω



10 inch woofer  
Model: ZD-1002  
Rated power: 150W  
Max power: 600W  
Impedance: 4Ω



10 inch woofer  
Model: ZD-1005  
Rated power: 120W  
Max power: 500W  
Impedance: 4Ω Double voicecoil



10 inch woofer  
Model: ZD-1003  
Rated power: 150W  
Max power: 450W  
Impedance: 4Ω

Test the speakers box(3- way)



Test the speakers box(2- way)



10 inch woofer  
Model: ZD-1003  
Rated power: 150W  
Max power: 450W  
Impedance: 4Ω



10 inch woofer  
Model: ZD-1003  
Rated power: 150W  
Max power: 450W  
Impedance: 4Ω



8 inch woofer  
Model: ZD-08A01  
Rated power: 140W  
Max power: 400W  
Impedance: 4Ω



8 inch woofer  
Model: ZD-868A  
Rated power: 120W  
Max power: 300W  
Impedance: 4Ω

# DSP/Amplifier

## DSP Amplifier

**D50**



signal-to-noise ratio: >96dB  
 frequency response: 20Hz~20KHz  
 rated power: 4x50W  
 nominal impedance: 4Ω  
 working voltage: 10V~16V  
 start-up: High level signal  
 Boot output: REM  
 size: 17.7\*14.7\*4.2cm

## DSP Amplifier

**D60**



signal-to-noise ratio: >96dB  
 frequency response: 20Hz~20KHz  
 rated power: 4x80W  
 nominal impedance: 4Ω  
 working voltage: 10V~16V  
 start-up: High level signal  
 Boot output: REM  
 size: 17.6\*14.8\*4.3cm

## DSP Amplifier

**A6**



signal-to-noise ratio: >96dB  
 frequency response: 20Hz~20KHz  
 rated power: 4x50W+2x30W  
 nominal impedance: 4Ω  
 working voltage: 10V~16V  
 start-up: High level signal  
 Boot output: REM  
 size: 18\*11.2\*4.8cm

## DSP Amplifier

**M8**



signal-to-noise ratio: >96dB  
 frequency response: 20Hz~20KHz  
 rated power: 4x90W  
 nominal impedance: 4Ω  
 working voltage: 10V~16V  
 start-up: High level signal  
 Boot output: REM  
 size: 29.5\*15\*4.8cm

## DSP Amplifier

**D90**



signal-to-noise ratio: >96dB  
 frequency response: 20Hz~20KHz  
 rated power: 4x100W AB  
 nominal impedance: 4Ω  
 working voltage: 10V~16V  
 start-up: High level signal  
 Boot output: REM  
 size: 29.5\*15\*4.8cm

## DSP Amplifier

**M6**



signal-to-noise ratio: >96dB  
 frequency response: 20Hz~20KHz  
 rated power: 4x80W+2x100W AB  
 nominal impedance: 4Ω  
 working voltage: 10V~16V  
 start-up: High level signal  
 Boot output: REM  
 size: 24.3\*15\*5.6cm

## 4-channel amplifier

**Model: ZD-910**

working voltage: DC13.8V  
 nominal impedance: 4Ω  
 rated power: 80w\*4ch  
 The distortion degree of: <0.02%  
 peak-power: 200w\*4ch  
 frequency response: 16Hz~36KHz  
 signal-to-noise ratio: >105dB  
 size: 330\*240\*50mm



working voltage: DC13.8V  
 nominal impedance: 4Ω  
 rated power: 120w\*2ch  
 The distortion degree of: <0.02%  
 peak-power: 200w\*1ch  
 frequency response: 16Hz~36KHz  
 signal-to-noise ratio: >105dB  
 size: 315\*195\*50mm

## 2-channel amplifier

**Model: ZD-920**



working voltage: DC13.8V  
 nominal impedance: 4Ω  
 rated power: 120w\*4ch  
 The distortion degree of: <0.02%  
 peak-power: 260w\*4ch  
 frequency response: 16Hz~36KHz  
 signal-to-noise ratio: >105dB  
 size: 365\*195\*50mm

## 4-channel amplifier

**Model: ZD-950**



working voltage: DC13.8V  
 nominal impedance: 4Ω/2Ω  
 2Ω rated power: 1500w\*1ch  
 4Ω rated power: 800w\*1ch  
 The distortion degree of: <0.02%  
 frequency response: 16Hz~36KHz  
 signal-to-noise ratio: >105dB  
 size: 365\*195\*50mm

## 1-channel amplifier

**Model: ZD-960.1**



# Sound insulation materials



## Damping plate

Size : 46cm\*82cm/pcs

Ce: shock absorption, sound insulation, heat insulation

Material: surface aluminum-platinum, pressed grid, white butyl adhesive

Aluminum platinum color: gold, black

Packing: 25 pcs/CTN,85\*50\*8cm/CTN

## Low frequency king (three in one)

Size : 46cm\*82cm/pcs

Function: high efficiency sound insulation, high efficiency heat insulation, shock absorption

Material: black cotton body, with butyl adhesive backing

Packing: 25 PCS/CTN

The unique acoustic five-layer structure of low-frequency king, Make it have powerful blocking function in super high and low frequency band, Road noise and engine noise, excellent insulation, Can effectively prevent the engine, exhaust pipe to the car heat conduction



## Sound-absorbing cotton

Function: high efficiency sound absorption, high efficiency heat insulation

Model: 50 \* 80 cm/pcs

Packing: 25 pcs/CTN,86\*53\*32cm/CTN

# Wire

Amp Kit  
Model : TX-198  
Size : 5M



Amp Kit  
Model : A8  
Size : 5M



Amp Kit  
Model : 6GA/8GA  
Size : 4.5M



Amp Kit **Copper**  
Model : 6GWK  
Size : 5M



Audio rca cable  
Model:CP-107  
Size : 4.5M/1M



Audio rca cable  
Model:Y-112  
Size : 5M  
**Copper**



Audio rca cable  
Model:Y-113 **Copper**  
Size : 5M



Audio rca cable **Copper**  
Model:R002  
Size : 1M/2M/3M/5M



Audio rca cable  
Model:R012  
Size : 5M  
**Copper**



Audio rca cable  
Model:R011 **Copper**  
Size : 5M



Audio rca cable  
Model:R003  
Size : 5M  
**Copper**



Control line **Copper**  
Model : K-003



Speaker line(16GA/18GA)  
Model : L-016/L-018



Speaker line  
Model : L-101



Speaker line  
Model : L-130



Speaker line(16GA/18GA)  
Model : L-116/L-118 **Copper**



Speaker line **Copper**  
Model : L-210



Speaker line **Copper**  
Model : L-220



Speaker line **Copper**  
Model : L-230



Power cord/10GA/8GA/6GA  
Model : D-004



Power cord/10GA/8GA/6GA  
Model : D-014/D-016/D-018  
**Copper**



220V to12V  
28A, 53A, 125A, 150A



